



GREEN

HOUSE

live



ma/ag
MACCHINE AGRICOLE



EDX - EDX M

Disc harrow for mixing the soil



EDX750M 25

- Brought on lift
- "X" sections with manual-hydraulic regulation of the inclination
- Steel boron discs of different diameters, from 560 mm to 660 mm, according to the models
- Swivelling supports with double conical bearings roller, system ma/ag
- High advancement speed and reliability in all types of conditions
- Working width from 1,80 m to 3,90 m

ESQ CH

Medium-heavy grubber



ESQ CH 25

- High advancement speed
- The special anchors, "chisel" type, allow to weed out the soil for reaching a variable depth from 15 cm to 35 cm

- The equipment can be customizable with a rear spike roller to break the clods
- Working width from 2,50 m to 6,00 m

SEAC COMBI

Combined equipment for the double layer working: deep tillage and surface crumbling



SEAC COMBI 25 RF

- The anchors allow to plough the soil without inverting the layers and permit to reach a variable depth from 15 to 45 cm
- The rear discs (with a particular shape) permit to improve and mix the surface of the soil

- The equipment can be customized with different kind of rollers (cage, paker, spike)
- Working width from 2,50 m to 3,60 m



MODEL	DISC N.	WORK W.	TRANSPORT W.	SUPPORT N.	HP	KG	DISC SPACING	Ø DISC
EDX750 21 01	21	2,20	2,30	8	60	760	200	560/4,5
EDX750 25 01	25	2,60	2,50	8	70	830	200	560/4,5
EDX750 29 01	29	3,00	2,50	8	80	890	200	560/4,5
EDX750M 21 01	21	2,20	2,30	8	60	860	200	560/4,5
EDX750M 25 01	25	2,60	2,50	8	70	910	200	560/4,5
EDX750M 29 01	29	3,00	2,50	8	80	1100	200	560/4,5

MODEL	ANCHORS N.	WORK W.	TRANSPORT W.	FRAME	HP	KG
ESQ CH 25	9	2,50	2,55	FISSO	80	470
ESQ CH 30	11	3,00	3,10	FISSO	100	600
ESQ CH 36	13	3,60	3,70	FISSO	130	750

MODEL	ANCHORS N.	WORK W.	TRANSPORT W.	FRAME	HP	KG
SEAC COMBI 25	7	2,50	2,55	FISSO	120	1150
SEAC COMBI 30	9	3,00	3,10	FISSO	140	1250
SEAC COMBI 36	11	3,60	3,70	FISSO	170	1580

ma/ag
MACCHINE AGRICOLE



MADE IN ITALY- CEE



CERT. N. 5468

26011 CASALBUTTANO (Cremona) - ITALIA
 www.ma-ag.com - E-mail: info@ma-ag.com
 Head office and production: Via Giovanni Paolo II, 12
 Tel. +39 0374 363119 - Fax +39 0374 360406
 Administrative office: Via Bergamo, 7/b
 Tel. +39 0374 362680 - Fax +39 0374 362280